Team: Anulal VS (136130012)

Gautham Varma (136130005)

Manu Revi (136130009)

Affordable Housing


:Fitting more into volume

Guides: Prof. U A Athavankar

Prof. Vijay Bapat Prof. B Bhaumik

IDC | IIT Bombay





Source: Census 2011

Proportion of slum households

Million Plus Cities	Proportion of Slum HHs to Total Urban HHs (%)
Greater Mumbai (M Corp.)	41.3
Kolkata (M Corp.)	29.6
Chennai (M Corp.)	28.5
Delhi Municipal Corp (U)	14.6
BBMP (M Corp.)	8.5

Source: Census 2011

Super - compact

Affordable

DIY

Incremental

Temporariness

Durability

Effective use of volumetric space

Cultural context in India

Shared spaces

Personalization / Customization

Project focus _____


Problems to be addressed



Housing for BOPs




Space constraints



Problem statement 1

Maximum and efficient usage of space within a volume of 10'x10'x10' which could accommodate a family of 4 members with incremental provision which goes hand-in-hand with cultural context and family growth




Problem statement 2

Design the interiors which efficiently use each and every unit cubic volume present in the given space




Accessibility to higher levels



Problem statement 3

An aid to reach higher levels that could be drawn when needed without obstructing the utility of other spaces and also utilize the minimum volume.



Problem statement 4

Design space in such a way that they could be utilized in multiple ways taking usage time-span as a factor




Unhealthy living conditions




Rising cost of raw materials



Temporariness of available space / resources






Problem statement 5

Design the interiors and furniture which can accommodate the incremental needs of a user without affecting or obstructing other spaces.

Project assumptions





- Multi-storey building having modules of size 10'x10'x12.5'
- Walls of brick and concrete
- One exterior wall with windows and plumbing connections
- 6 ft corridor between opposite modules
- 100 ft distance between consecutive buildings

Data collection

■ User data collected over a span of 3 years

- User category
- Occupation
- Annual wages
- Life style

Activity analysis


- Understanding time slice of a family of 4 members


Available data

- A visit to dharavi
- Videos + case study
- People innovatively using space
- IKEA DIY model
- Study of joints
- Current interior scenario

Our research





















Videos + Case study

- We the tiny house people (documentary)
- Cube and Cube 2 project
- Asian scenario
- **■** Convertible furniture



source: http://mreverydaydollar.com/; http://kristabeck809files.wordpress.com- accessed on 2-11-2014


Asian scenario





Caged homes in HongKong







People using space













image source: HUDCO project






IKEA DIY model

- Assembly instructions
- IKEA joints





3









Study of joints

- Bicycle joints
- **■** Exhibition panel joints
- **■** Tripod joints
- **■** Warehouse construction joints
- Scaffolding










Present interior scenario


- Weak structure
- Limited privacy
- No 'living' space; they adjust
- Less ventilation and natural light
- Unhygenic toilets / No toilets
- Steel as an accepted material



image source: HUDCO project

Necessities and desirables






- People at the bottom of the pyramid
- Close to 90,000 2 lakhs per annum as income
- Living in slums in metro cities
- **■** Tenured residents of the space

User profile

Design brief



In case of

- Space utilization
- Head room
- Higher level access

Compromises

Keywords

Super - compact

Affordable

DIY

Incremental

Temporariness

Durability

Effective use of volumetric space

Cultural context in India


Shared spaces

Personalization / Customization

Focus ____

Study of incrementality







Incrementality of need

Added-up furniture

- Bed space
- Kitchen space
- Storage space
- Levels
- Living space furniture

Static furniture

- Toilet
- Staircase
- TV space

Insights

Any stage furniture

- Puja
- Dining space
- Washing space

Design approach

An industrial design approach to housing

Design

approach ____ Applying agile n

product design

Applying agile methodology in



Material Research

Kitchen

Bathroom + Toilet

Structural members

Focus areas

Initial exploration

Foam board mockups

Drawings

model

Incremental layouts

slotted angle +

Flute board

Life-size

- volumetric space

- vanishing space

- spaces underneath


Sketches and ideations


Steel structure prototype















Initial exploration









Drawings ____



Life-size model _




















































Simulating living


Life-size prototyping


- Bathroom + toilet space
- Kitchen space
- Structural members


Focusing on to the interior


- Efficient usage of volumetric space
- Pluggable
- Minimal assistance in installation
- Easily replaceable partition
- Reducing existing compromises

Bathroom + Toilet space_















Concept 1


Concept 2


Concept 3


- Multiple usage of space
- Time based space utilization
- Low compromise on ergonomic aspects
- Adequate privacy
- Material choices according to cost, availability, manufacturability and above all comfort of the user


Concept evaluation ___












Concept 2 detailing The base

- made of SS 202
- 2 inch skirting
- ridges
- flushed to the floor

■ The trap

- Positioning trap to consume minimum volume
- comparison of clear heights

Clear height comparison____



1'-6"

Concept 2 detailing The base

■ The pan fixing

- Deep drawing
- Argon welding

1'-6" -20mm dip

Concept 2 detailing The base

■ The lid

- converting toilet to bathing area
- aluminium honeycomb sandwitch

Concept 2 detailing The partition

■ The panel

- Material choices based on pricing, quality and life span
- Corrugated steel sheet vs PP honeycomb

PP Honeycomb

Pros

- 1. Planar piece
- Easy to cut (for window)
- 3. Easy maintenance
- 4. Space Efficiency
- 5. Easy to fix
- 6. Completely DIY

Cons

- 1. Material Availability at present
- 2. Cost- higher than corrugated steel sheet
- 3. Additional supporting members needed

Corrugated steel

Pros

- 1. Self supporting
- 2. Easy Availability
- 3. No additional joints
- 4. Easy Maintenance

Cons

- Bending needed- Calls for tooling
- 2. Cutting not easy (for window)- additional tooling
- Fixing door not easy





wolferaft



Concept 2 detailing The partition

■ The connection

- Related product study

25.4 25.4 36.4 25.4

Concept 2 detailing The partition

■ The connection

- PVC extrusion

Concept 2 detailingThe crown


- to hold the panel members together

- Easy to assemble and disassemble
- Efficient usage of volumetric space
- Incrementality
- Provision for user to populate
- Usage of floor space for preparation

Kitchen space_

(28)

- 1'6" x 3'
- Rotating sink
- Triangular sink for min area
- **■** Countertop for single burner stove
- Pull out stool and countertop extension




- 1'6" x 1'6"
- Rotating sink
- Triangular sink for min area
- Single burner stove on slide out
- Pull out stool



- 1'6" x 4'
- Rotating sink
- **■** Curved countour for sink
- Provision to utilize floor space while preparing
- **■** Dedicated storage space






- Sink and countertop separated
- 1'6"x2 for sink; 2'x2' for countertop
- Sink part made a static entity
- Usage of vertical space
- Negative spaces for storage
- Provision for people to populate




- Efficient usage of space (vertical and horizontal)
- **■** Ease of access
- Simple and efficient
- Storage options
- Option for user to populate the space
- Ease of assembly and dis-assembly
- Easy to manufacture

Concept evaluation ___





Concept 4 detailing sink


- Size increased to 1'8" x 2'
- 8" deep sink
- Material
 - SS 304
- Strength
 - Ridges for strength and partition
- Drain and P-trap
 - Drain positioned at rear corner
 - Horizontal orientation for trap
- Support member and connection
 - Cantilevered T or L section
 - Hiding the bolt




Connection detailing









Concept 4 detailing Countertop


- Size increased to 1'8" x 2'
- Height maintained at 2'8"
- Can be knocked down to flat parts
- Flexibility of positioning storage racks


Material


- SS 304 with thickness 1.2mm

Parts

- Countertop
- Legs
- Base







Concept 4 detailing Space

- Add on storages that could be attached to provisions in structural member

Vertical storage

- Mesh functioning as a hanging storage
- Posibility of incorporating a pulley system

■ Water can

- Jerry can support in the corner space


Racks

- Large and medium plates
- Hooks for glasses and other hanging utensils

Kitchen space










- Easy to assemble and disassemble
- Reduce manufacturing cost
- Locally available tools
- **■** Provision for different layouts
- Flexible for the user to change


Structural elements _



Joints classification

■ Depending on the purpose it serves:

- T1 between main column and main horizontal member
- T2 between main horizontal beams
- T3 between main horizontal beams and non structural orthogonal members



Material

Mild steel

Sections

Main structural member : C-section (60mmx90mm)


Orthogonal support member : C-section (50mmx50mm)


Vertical columns : Square section (3mm-4mm thick)


Fitting


- Floor panels get flushed on to the height difference
- Welded C-sections on the vertical columns connects the horizontal members
- L sections for connections between inner members
- Spacer tubes to avoid bending














Visualization



- Emphasis to keeping the floor flushed

Material

Mild steel

Sections

Main structural member : Open hat

Orthogonal support member : Open hat


Vertical columns : Square section

Fitting

- Grooves and holes given at joining areas to hold protrusions in the joining plates
- Connections through nuts and bolts



Concept 2 Visualization



- Emphasis to reduce the number of parts

Material

Mild steel

Sections


Main structural member : square tube (45mmx96mm)

Orthogonal support member : square tube (45mmx45mm)


Vertical columns : square tube

■ Fitting

- Welding the joining pieces at the end of the members to be connected.




Visualization



Joints detailing


- T1 joint






Joints detailing


- T2 joint






Joints detailing

- T3 joint





Standardizing the components

- Same components to be arranged to create all 3 layouts
- identifying similarities in layouts
- Layouts broken down into grids

Standardized lengths

Orange : 10 ft

Brown: 3 ft

Yellow : 2 ft

■ Minimum number of members

6'6" x 4 nos (column)

10' x 7 nos (beams)

3' x 6 nos (orthogonal member)

2' x 5 nos (orthogonal member)



Standardized components.

Post prototype comparison













User feedback







- Children were happy with their space
- Position of TV was a major issue for both parents and children
- Needs more storage space than comfortable headroom
- Ceiling fan not necessary
- Space above kitchen was appreciated
- Concerned about position of fridge.
- Toilet space was also appreciated.

The way forward

- **■** Fully detailed prototype
- On-site implementation and feedback